Scott. II-27—45,004—14-11-30.

L. S. G (1930) Department.

Ms. SERIES.

G.O. No. 914 Of

DATED 12-4-30

[Despatch Abstract.]

Anti malarial Operations — Hospl Municipality

an expenditure of Rs. 3,850 for improvements

to the Roja Channel & its branches

Sanctioned

MEI 14-7

LSG (P.H) Dept

Read Gro 1907 P.H dt 31-7-29

49 M/14/W

Subject

Malaria - Hospl - Municipalities - estimates for antimalarial work

Memo No 38.21-1D P.H dt 11-10-29

The D. P.H is requested to submit a report without further delay on the proposals called for in para 2 of the Gro no 1907 P.H dt 31-7-29. ~~for~~ as the proposals will have to be brought forward as a Part II scheme for 1930-31

Ver

Dpd. by

Dpth.

Date 14/10/ 1929

To

The DD. H

10-10-29

M/10/W

C.F. 30.

Public Health **DEPARTMENT.**

Received ..... 192 . *Registered* 33399 192 .

Subject.

Malaria - Hospet municipality - estimates for antimalarial works.

ENCLOSURES.
No .....
.....
Space copies .....

R. No. 73-5/mal.

Station Madras , *Dated the* 15th October 1929.

From (Name) Captain N.R. Ubhaya D.P.H.,

(Designation) Ag. Director of Public Health, Madras.

To The Secretary to the Government of Madras,

Local Self-Government (Public Health) Department.

Sir,

With reference to para 2 of G.O.No.1907 LS.P.H. dated 31st July 1929, I have the honour to forward herewith plans and estimates for clearing the banks and sloping sides of Roya channel and its subsidiary channels in hospet municipality received from the Executive Engineer, Bellary for consideration in connection with the budget of 1930-31.

I have the honour to be,
Sir,
Your most obedient servant,

Capt.,D.P.H.
Ag.Director of Public Health,
Madras.

PRR.
15-10.

3/

L&G (P.H) Dept.

Cir 39 394 from the D.P.H R.No 73 Spl

dt 15.10.29.

Subject

Malaria - Hospet Municipality estimate for clearing the banks and flowing sides of Raya Channal of all weeds etc.

The Raya Channel and its subsidiary Channels in the Hospet municipality are under the control of the P.W.D. and the Special Malaria Officer has reported that the Channels should be cleared of all weeds and grass as an anti malarial measure. The DPH who was asked to submit detailed estimate for giving effect to the recommendation has now forwarded them to be in consultation with P.W.D officers. The amount of estimate is Rs.1860 As the work is in the interests of Public Health, the P.H dept should provide the necessary funds.

Borrowed (P) para in p 3 of Gr 120 PH 31.7.29

A | It is presumed that P.W.D will take steps to carry out the work. ~~Arrangements should be made to weed those Channels once periodically. Cleared of these weeds, the water flowing~~

~~work of maintenance~~. It may be necessary, say, every 3 or 4 years to ~~keep~~ repeat the work. If the recommendation of the Special Malaria Officer is to have any permanent value. ~~We propose~~ A sum of Rs 1860 required may be provided in the E.S. for 1930-31. Finance - may be requested to agree. The case may now be sent to P.W.D. and Finance

H.O.

ar
21.10.29.
KB
21.10.29

M. 22/10

DO Legislative No. 3691/0-2
22-10-29

PWD

This Dept may agree to
'A' implement & pass the bill
as to Finance

KB
23/X

MR
PWD. Secy

PP
M.C.J

ASST. SECRETARY TO GOVERNMENT
23 OCT 1929
20549
PUBLIC WORKS AND LABOUR DEPT.

PWD U.O. No. 20549 D/29-1
23.X.1929

ASST. SECRETARY TO GOVT.
24 OCT 1929
FINANCE DEPT.

Part II

34592 Dr
BS III

Finance (B.E. III)

Part II scheme for 1930-31.

Raya Channel-clearing the banks and sloping sides.

Estimated cost Rs. 1,860

Demand for 1930-31 Rs. 1,860

The Special Malaria officer in para 4 of his report on inspection of Anti-Malarial work in Hospet Municipality reported the urgent need to pay attention to the Raya Channel and its subsidiary channels, the banks of which are thickly over-grown with weeds and grass. The D.P.H. has accordingly forwarded an estimate for the work in consultation with the Executive Engineer, Bellary. The work is in the interest of the Public Health department, but it will be carried out by the P.W.D. who are in charge of the channel.

Submitted that Finance may agree to the proposal being treated as a Part II scheme for 1930-31. L.S.G. may be requested to prepare the necessary note for the Finance Committee.

SECRETARY TO ... PUC 18 NOV 1929

34592-IBEIII
4.11.29.

SECRETARY TO GOVERNMENT, LOCAL SELF-GOVERNMENT DEPARTMENT. 5-NOV.1929

45077

Please see the note of Finance above. A draft note for the FC is submitted for approval. It may be sent to P.W.D. and Finance n.o. for acceptance

6

P. W. & H. Deptt

may be accepted and passed on to Finance.

19.11.29

19/11/29

19.11.29

P. work. No. 22610 D/28-1
19.11.29

Finance (B.E.III)

(Previous Finance note on page 3 ante)

The note for the Finance Committee may be accepted & the following added as note by the Finance Dept:-

"The proposal may be placed before the Finance Committee as a Part II scheme for 1930-31"

38313 B.E.III

20.11.29

21.11.29

38313 B.E.III-1
21.11.29

H.S.G. (P.H.) Deptt. No.



Finance note has been added to the note for the F.C. The file may now be sent to H.S. No. 2 before the note is printed..

22/11/29

49502

20/11

20/11/29

7

The question of the agency to carry on the work has not been settled. Any two nodal officers may do the work here.

26.11.25

Work for both to see

Pres. Copies sent 27.12.25

(b.)

LOCAL SELF-GOVERNMENT (L. & M.) DEPARTMENT.

NOTE FOR THE FINANCE COMMITTEE.

Part II Scheme for 1930-31.

[SUBJECT.—*Malaria—Hospet Municipality—Clearing the banks and sloping the sides of the Roya channel and its subsidiary channels.*]

Summary.

Head of account.	Items of expenditure.	Ultimate cost.	Cost in 1930-31.
		RS.	RS.
33 c. Public Health—Expenses in connexion with epidemic diseases—ii. Other epidemics—Supplies and services—Voted—Miscellaneous.	Clearing the banks and sloping the sides of the Roya channel and its branches, as an anti-malarial measure.	1,860	1,860

NOTE BY THE ADMINISTRATIVE DEPARTMENT.

The Special Malaria officer has reported that the Roya channel and its branches in the Hospet municipality are thickly overgrown with weeds and grass and offer ideal conditions for the breeding of malaria mosquitoes, and that the high incidence of malaria in the municipality is due to the condition of these channels. He has accordingly suggested that the banks of the channels should be cleared of all weeds and grass and that the sides of the channels should be sloped. The Director of Public Health has submitted an estimate amounting to Rs. 1,860 for these works, in consultation with the Executive Engineer, Bellary. The channels are under the control of the Public Works Department, but as the work is in the interests of Public Health, the Public Health Department should provide the necessary funds and the work itself will be carried out by Public Works Department. This department is satisfied of the necessity for the carrying out of these works and accordingly propose to provide a sum of Rs. 1,860 for the purpose in the Civil Budget Estimate for 1930-31.

S. RANGANATHAN—15-11-29.

NOTE BY THE FINANCE DEPARTMENT.

The proposal may be placed before the Finance Committee as a Part II Scheme for 1930-31.

T. A. SRINIVASARAGHAVA AYYANGAR—21-11-29.

Placed in class II

A draft order is submitted for approval.
It may require after perusal by P. W. D.

8/4

9.4.30

9/4



returned

Letter no
3820-5 P4
9-4-30

P. W. D. memo
7484/P30-1
4/4/30

Ramu
4/4

13921

4/4

Sectt. II$_A$5 (a)—50,006—5-11-29.

DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied ..		
When examined		
When signed ..		
When despatched ..		

READ AGAIN G.O. No. ....., dated 19

" " " " 19

READ ALSO:—

C. No. 3354 From the D.P.H. , No. 73-3/26 dated 15/10 19 26

" " " " 19

" " " " 19

" " " " 19

ORDER.

No. 974 , dated 19 30

The Chairman has made an Special Sanitary Officers has reported that the Royal Channel and its branches in the Hospet Municipality are quite overgrown with weeds and grass and offer ideal conditions for the breeding of mosquitoes; and that the high incidence of Malaria in the municipality is due to the condition of these channels. He has accordingly suggested that the banks of the channels should be cleared of all weeds and grass

//

and that the sides of the channels should be sloped.

The D.P.H has submitted in consultation with the Executive Engineer Belgaum an estimate amounting to Rs 1860 to meet the cost of these works. The Govt sanction the above expenditure. Necessary provision has been included in the OB for 1930-31 under "33. C. P.H. Expenses in connection with epidemic disease ii other epidemics" Supplies and Services Miscellaneous."

As the Channels are under the control of the P.H. Dept the works will be carried out by that dept.

8/4 Issued 9/4/30

To the D.P.H (with plan & estimate, retd)
" Audit.
" Acct. Gl. & Finance
" Finance Dept
" P.W.D. "
" C.M.C. Hospet

Dpd. by Van / Post / Messenger
Dpr's. initials. BSJ
Date 14/4/30 192 :

12

L.S.G.Department.

Extract from the administration report of the Hospet Municipal Council for 1928-29:

Public Health: Malaria is said to be rife towards the northern end of town. The railway station is also situated therein. The irrigation Channel (Roya Channel) is also in its vicinity. The municipal lands lying within two furlongs of the wet cultivation are under the ban of Malarial zone. These lands if assigned for building purpose would fetch a very decent income but the order of Government prohibiting the raising of buildings over such lands is in the way. As per orders of Government the Malarial staff consisting of a Sanitary Inspector, a Maistry and six coolies have been working and are removing the prickly pear bushes etc and steps are taken even to get the borrow pits etc filled-up so as not to give room for the breeding of Musquitoes. The amount spent over this special establishment is met from the savings accrued on account of the provincialisation of the Municipal Hospital. The Council requests the Government to move the Public Works Department (irrigation) to keep the Roya Channel free from the growth of rank vegetation on its either sides. The revetment of ~~this~~ the complete channel (New Basavanna Channel) in the municipal area which was agreed by the P.W. Department has not been fulfilled.

The above extract may be sent U.O. to P.W.& L Department for action if any.

A

SECRETARY TO GOVERNMENT
27 NOV 1929
23409
PUBLIC WORKS AND LABOUR DEPT

× not known

S&P 26/11

L.S.G. u.o. 40166-1-B21m
25.11.29

S.S.G. 25.11.29

25.11.29

P. 27/11

P. 30/11

Scott file

13

PW+L

The remarks of the CE (I) may perhaps be invited with reference to 'A' and/or.

PW+L wom 234090/29-1
29-11-29

28/11/29

28/11/29

C.E.(I)/no

Office of the C.E.(Irrigation)

Raya channel.

In connection with the B.E. for 1930-31, the Government asked the Director of Public Health to submit, in consultation with P.W.D. officers, definite proposals with estimates for clearing the banks and sloping sides of the Raya channel and its subsidiary channels of all weeds and grass. An estimate amounting to Rs 1,860 for this work has been furnished to the Director of Public Health by the Executive Engineer, Bellary Division with his letter No. 225 G.B.I/140 dated 8-10-1929.

(2)

vide Gro 914 P.H
5/4/30

2. BASAVANNA CHANNEL. I inspected the channel in December 1925 when I was Superintending Engineer, Madras Circle, and considered that it would be sufficient both on considerations of economy and sanitary requirements if the channel within the town limits was revetted for a length of one furlong either way beyond house sites. The work was accordingly put in hand and executed. The Director of Public Health, who was informed of the above fact, and asked whether from the public health point of view he would approve of this limiting of the revetment, has stated that the revetment already carried out would do for the present and that we may wait to know its utility after the supply of water in the channel is resumed. There is therefore no necessity

to revet the entire length of the channel within the town limits.

B
9.4.30

Secy. P.W. & L. Dept. u.o.

C.E.I.U.O.No.2950/29-
C.E.P. d/9-4-30.

P.W. & L. Dept

May be sent to L.S.G. Dept

P.W. & L. 12.4.30

M 12.4.30

11 12.4.30

18.6



P.W. & L. Dept. No. No
23409 D/29-12
12.4.30

14432

AV
14/4

L.S.G. (P.H.) Dept.

(1) Raya channel:- Reference is solicited to the correspondence in G.O. 914 P.H. dt. 12.4.30.

(2) Basavanna channel. In view of the remarks of the Chief Engineer (I) above, no further action is called for.

The papers may be filed with G.O. No. 914 P.H. dt. 12.4.30

7

7

AV
15/4

16/4

15.4.30